Page: 1 of: 2

Section 1. Product and Company Identification

Item Number .: s2426-1

Common Name.: Acetic Zinc Formalin

Intended Use: In Vitro Diagnostic use. Laboratory Use Only

IN CASE OF EMERGENCY, CONTACT: CHEMTREC (24HR) 800-424-9300

Manufacturer.: Poly Scientific R&D Corp.

70 Cleveland Ave Bay Shore NY 11706

polyrnd@polyrnd.com

Section 2. Hazard Identification

226 Flammable Liquids Cat 4

- 301 Acute toxicity, oral Cat 3
- 311 Acute toxicity, dermal Cat 3
- 314 Skin corrosion/irritation Cat 1A. B. C
- 334 Sensitisian, respiratory Cat 1
- 350 Carcinogenicity Cat 1A, 1B
- 360 Reproductive toxicity Cat 1A, 1B
- 370 Specific target organ toxicity, single exposure Cat 1



Danger

Combustible liquid. Toxic if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause allergy, asthma or breathing difficulties. May cause cancer and damage fertility.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces.-No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands/skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation use respiratory protection. Keep container tightly closed, locked up in well ventilated-area and cool. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. In case of fire: Use dry sand, dry chemical or alcohol- resistant foam to extinguish. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do not induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash skin with soap/water/shower. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If exposed: Call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise covered by GHS: None

Section 3. Composition Information

Exposure Limits(A blank value indicates no information available) The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

| Component | CAS# | PEL(mg/m3) | STEL(mg/m3) | CEIL(mg/m3) | Concentration Range |
|----------------------|-----------|------------|-------------|-------------|---------------------|
| Formaldehyde | 50-00-0 | 0.37 | 2.00 | < | 5% |
| Zinc Chloride | 7646-85-7 | 2.00 | 1.00 | < | 5% |
| Acetic Acid, Glacial | 64-19-7 | 15.00 | 10.00 | < | 5% |
| Methanol | 67-56-1 | 325.00 | 260.00 | < | 5% |
| Formaldehyde | 50-00-0 | 0.37 | 2.00 | < | 5% |

Section 4. First Aid Measures

Eye Contact: Check for and remove contact lenses. Wash with large amounts of water for 15 minutes. Seek medical attention.

Skin Contact: Remove contaminated clothing and shoes. Wash the affected area with large with soap and water. Seek medical attention

Ingestion: Give two glasses of water to a conscious victim. Do not induce vomiting. Seek medical attention

Inhalation: Move person to fresh air. If neccessary give CPR; warning this could pose a risk of exposure to the rescue breather. Seek medical attention

The most important known symptoms and effects are described in section 2 and/or section 11.

Section 5. Fire Fighting Measures

Extinguishing Media .: Use Dry Chemical, Foam or Carbon Dioxide

Special Fire and Explosion Remarks ..: N/A

Section 6. Accidental Release Measures

Spill Cleanup and Disposal Special ..: Eliminate all ignition sources. Disperse vapors. Pick up with absorbent material

Spill Cleanup.: Take up spills with absorbant material and containerize for proper disposal. Use proper PPE as per section 8. Provide ventilation.

Section 7. Handling and Storage

Storage and Handling Special..: N/A

Storage and handling .: Keep container tightly closed. Store in a cool, dry area and protect from physical damage

Section 8. Exposure Controls/Personal Protection

Personal Protective Equipment ..: Safety Glasses, Gloves, Vapor Respirator

This information is provided as a guide but proper PPE can only be determined by the end user and their situation.

Engineering Controls .: Provide local exhaust ventilation to keep the airborne concentrations of vapors below their respective threshold limit values. Ensure that eyewash stations and safety showers are local to the work-station.

Section 9. Physical and Chemical Properties

| Appearence Colorless liquid | Evaporation Rate N/A | Water Soluable? Yes |
|-----------------------------|------------------------------------|--|
| Odor Pungent suffocating | Upper Flammability Limit (%).: N/A | Volatile Percent 100 |
| Odor Threshhold N/A | Lower Flammability Limit (%): N/A | Partition Coefficient n-octanol/water: N/A |
| pH: N/A | Specific Gravity (@20C) 1.047 | Auto Ignition Temp N/A |
| Melting Point N/A | Vapor Pressure (mm Hg): 152 | Decomposition Temp: N/A |
| Boiling Point N/A | Vapor Density (Air=1) 0.83 | Viscosity N/A |
| Flash Point (F) TCC N/A | Relative Density N/A | · |

Page: 2 of: 2

Section 10. Stability and reactivity

Special Remarks on Stability ..: Stable

Special Remarks on Reactivity ..: N/A

Water Reactive.: No

Section 11. Toxological Information

Routes of Entry.: Inhalation, Skin Absorption, Ingestion

Animal Toxicity :: Formaldehyde: Acute Oral (LD50) 800 mg/kg (Rat) Acute Dermal (LD50) 0.27 gm/kg (Rabbit); Methanol: Acute Oral (LD50) 6.2-13.0 gm/kg (Rat); Glacial Acetic Acid: Acute Oral (LD50) 3310 mg/kg (Rat) Acute Dermal (LD50) 1.06 gm/kg (Rabbit); Zinc Chloride: Acute Oral (LD50) 350 mg/kg (Rat) Intraperitoneal (LD50) 24 mg/kg (Mouse)

Human Toxic Effects .: Target Organs: Eyes, Skin, Respiratory System, CNS, GI Tract, CVS

Potential Acute Health Effects ..: Hazardous in case of inhalation, eye contact, skin contact, ingestion

Potential Chronic Health Effects ..: Formaldehyde: OSHA Carcinogen; IARC Code 3; NTP Code 2

Section 12. Ecological Information

Ecological Information .: N/A

Section 13. Disposal Considerations

Waste Disposal.: Dispose of in accordance with local, state and federal laws.

Section 14. Transport Information

DOT Identification .: NMFC 43940-02(Liquid, Chemicals, IVD) Class 85

Section 15. Regulatory Information
State Regulations.: New York release reporting list: Formaldehyde, Methanol, Acetic Acid, Zinc Chloride

Sara Section 311 Reporting

| Component | CAS# | Acu | te | Chronic | Fire | Pressure | Reactive | SARA302 | SARA313 | CERCLA | RCRA |
|----------------------|-----------|-----|----|---------|------|----------|----------|---------|---------|--------|------|
| Formaldehyde | 50-00-0 | No | No | No | No | No | Yes | Yes | Yes | No | |
| Zinc Chloride | 7646-85-7 | No | No | No | No | No | No | Yes | Yes | No | |
| Acetic Acid, Glacial | 64-19-7 | No | No | No | No | No | No | No | Yes | No | |
| Methanol | 67-56-1 | No | No | No | No | No | No | Yes | Yes | No | |
| Formaldehyde | 50-00-0 | No | No | No | No | No | Yes | Yes | Yes | No | |

Section 16. Other Information

Review Date: 3/15/2023 Reviewed by: Admin MSDS Group Id.:

Notice: This SDS applies only to the material as packaged. If the material is altered by any means it may pose risks not mentioned here.

It is the user's responcibility to develope proper methods of handling and personal protection based on the actual conditions of use.

While this SDS is based on reliable technical data, Poly Scientific R&D Corp. assumes no responcibility for the completeness or accuracy of the information contained herein.